

A Novel Approach to Define Performance Metrics for Students' and Teachers' Evaluation

Pradipta Biswas and S.K. Ghosh
Indian Institute of Technology, Kharagpur, India

Pbiswas@sit.iitkgp.ernet.in

skg@sit.iitkgp.ernet.in

Abstract: Evaluation is an unavoidable feature in any teaching or learning scenario. The evaluation strategy of students differs widely throughout the world. Further, most of the institutes do not use any objective technique to assess the teaching performance of a teacher. The present paper defines performance metrics both for student and teacher evaluation and also discusses the methodology for calculating relevant metrics. In a decision-making scenario, these metrics may help in providing enough insight into the assimilation capability of students and teaching capability of teachers. Once measured properly for an adequate length of time, these metrics can also be customised to provide other useful information like utility of a course modification, institutional performance etc. The system has been tested for analysing four courses in a premier engineering institute and the outcome found to be encouraging.

Keywords: education technology, evaluation system data warehouse, performance metric, ontology

1. Introduction

In any educational institution, besides regular teaching and learning activities, evaluation is a matter of utmost importance. It can be defined as "a series of procedures carried out to collect information about learning experiences on the basis of which recommendations can be made to improve the quality of the services provided" (Edwards 1991). It is not only important from the students' point of view; rather the performance of the whole institute depends on the evaluation techniques. The objectives of an evaluation process can be summarised as follows (Harlen 1978, Deale 1975).

- To gather information about a wide range of student characteristics as feedback for making decisions about the learning environment, especially in the context of matching experiences to individual students.
- To accumulate information which will enable to define progress (or lack of it) and corrective actions to be taken, if required.
- To provide information to a teacher, which will help him/her in judging the effectiveness of his/her teaching with respect to individual students or groups.
- To inform other teachers who may have to make decisions about the students.
- To compare progress of students under different teachers.
- To compare new teaching materials with old and finally to help in developing an efficient and effective teaching policy.
- To allocate students to streams or sets based on their competence in different branches of their course.
- To inform employers or higher education institutions about attainments.

The present research on intelligent and automatic evaluation techniques mainly concentrates on automatic evaluation of computer programs (Benford et al 1993, Foxley et al 1998, Brusilovsky et al 1996) or mathematical problems (Sapir 1999, Xiao 1999). It has also been tried to evaluate free text answers based on different text processing methods like keyword based analysis (Burstein et al 2001), pattern matching techniques (Ming et al 2000) etc. In Alfonseca et al (2001) the BLEU method of machine translation system is used for evaluating free text answer, but the method does not work properly for certain kind of questions (like asking yes/no or advantage/disadvantage like questions). In VanLehn (1997), an evaluation technique is presented which is based on the student model. The evaluation technique in VanLehn is mainly concerned with the extent of assimilation of concepts. The inference mechanism of the system is based on Bayesian Network. The system has been demonstrated for physics only and it deals with 290 physics rules. But the approach does not seem to be scalable for a large number of concepts. The existing systems have the main focus on the assessment techniques of students. Unfortunately, there is hardly any universal mechanism that can

give the best assessment. In Reddy (2004), "Analytical Hierarchical Process" is used for calculating accurate weightage for theory and practical examinations and the approach is claimed to be universal across institutions. But in all cases, two major aspects of evaluation have been ignored (Biswas and Ghosh 2005) namely,

- Assessment of teachers and teaching policy.
- Defining a universal metric to measure the performance of students and teachers irrespective of a particular course, subject or institution.

Both of these factors are extremely important from an institutional point of view. It is a common observation that students prefer some teachers than others based on various reasons. So there should be an objective mechanism to measure the teacher's teaching performance also, along with the students' performance. Finally a universal metric of performance is needed very much for a comparative study of students, and teachers throughout a large number of institutions. The present paper discusses about some universal performance metrics for teachers and students and the methodology for measuring them. The metrics are viewed both from theoretical point of view and implementation point of view. From theoretical point of view, the significance of the metrics is given and their definitions are expressed through propositional calculus statements. From implementation point of view, scheme diagrams for an online database and a data warehouse have been described for storing enough information about a curriculum as well as efficient measurement of the performance metrics. The scope of the metrics presented in this paper is not only confined to performance evaluation, rather more sophisticated decisions regarding course modification and institution performance can easily be taken from the metrics. The organisation of the paper is as follows. In the next section the proposed methodology is discussed. Section 3 demonstrates a case study that gives an example of application of the proposed methodology. Finally conclusion is drawn at section 4.

2. The proposed methodology

The present paper discusses about an evaluation system, which can be used to evaluate the performance of both students and teachers in an educational institution. In the next section an operational overview of the proposed methodology will be presented. The evaluation will be done based on online examinations held at different time of a course. The online examination is found to make no change in scoring compared to paper pencil tests (Bodmann et al 2004). However the system can also be used (with dropping some of its features) for a traditional offline examination system. In fact, the case study in section 3 will describe a limited application of the system for a traditional system where the examinations were not online. The system is designed to be used for a long duration of time covering a number of academic sessions. It has been suggested in Aspinwall (2005) that an evaluation system should be build up step by step; perhaps using different methods for data collection until enough is available. So, the emphasis is given on designing a database schema for storing basic information about course curriculums; and later consolidating the information stored in the database into a data warehouse for efficient long-term data analysis. The data warehouse will actually be used to evaluate students and teachers' performance on a long range and also to take strategic decisions about a course design, improvement measurement etc. In section 2.2, the designs of an online database and data warehouse are presented. The point assignment technique in an online examination is described in section 2.3. We have defined several performance metrics to aid decision-making regarding performance measurement of students, teachers and institutes based on the points scored by students. Definitions of these performance metrics are presented in section 2.4. In section 2.5 and 2.6, practical implications of the metrics and some other important utilities of the proposed evaluation methodology is pointed out respectively.

2.1 Operational overview

The proposed evaluation system will operate in three phases, namely,

- Initialisation Phase
- Running Phase
- Assessment Phase

These system phases conform to the regular course calendar. The initialisation phase will take place before start of a course. The running phase will run with the course. After the end of the course, the students' and teachers' performance will be evaluated in the assessment phase. The initialisation phase mainly concerns with database fill up with curriculum details and demographic information. A

course is broken up into a number of subjects. Each subject is further classified into chapters or topics. Further, a topic is broken up into some concepts. For example, a secondary level science course can be divided into subjects like physics, chemistry, biological sciences and mathematics. Now physics can be classified into topics like optics, magnetism, mechanics etc. The topic mechanics includes concepts like free body diagram, inclined plane, momentum etc. The ontology of a course is shown in Fig.1. In order to extend this ontology for several subjects, we can define surmise relationships among different concepts and topics of different subjects and once fully developed, the ontology can also be easily used to define a knowledge space for a student (Dietrich et al 2001). In Reddy (2004) the variance of student performance is shown to be dependent on the standard on question papers and subjects. So, it can be inferred that an evaluation technique should use different weightages for different subjects and questions. To take care of this fact, each topic, concept and question is associated with a difficulty index (refer Fig.1). In Rios et al (1998), Rehak (1997) and Byrnes (1995), we get a list of other metadata associated with a question like type, topics assessed, complexity etc. to generate customised and personalised examinations or quiz sessions. Most of these metadata are inherent in our system due to considering the ontology structure (refer Fig. 1) of a course. In the proposed system, besides difficulty level, we consider only another metadata of a question, viz. an expected answer-time. This expected answer time can be used to differentiate a blind guess from an intelligent guess by comparing it to the response time of a question in an online examination scenario (more elaborately explained in section 2.3).

In the running phase, the teacher can periodically evaluate the class performance by designing online examinations or quiz sessions. These examinations or quiz can be designed using the existing question-answers within the database or by inserting new questions and answers. Even the course instructor can add new topics or concepts during this running phase. Short-term assessment can also be carried out by manually analysing the points scored by the students during an examination. The point calculation system is explained in the section. After the end of the course, the final assessment will be carried out. The final assessment will not only consider the immediate performance of a student in a single course, but also takes care of historical data available about the students, teachers and subjects. Sufficient data will be maintained to calculate the performance metrics as defined in section 2.3.

2.2 Database design

The database is designed according to the operational phases of the system. The initialisation and running phase will deal with an online normalised database. In the assessment phase, the content of the database will be analysed and consolidated into a data warehouse. This data warehouse will store information that will facilitate to calculate performance metrics at various levels of granularities and for various combinations of the dimensions. The schemas of the database and data warehouse are furnished in the next two sections.

2.2.1 Database tables

The database is designed to automate the whole evaluation process. A database always provides more flexibility in designing an examination or quiz session (Brusilovsky and Miller 2001). The teachers' and students' details will be stored in two tables for analysing their performance individually. The Teacher_Allotment table remembers the courses taught by a particular teacher. The course ontology will be stored in Subject, Topic and Concept tables and their relationships will be stored in two separate tables (Concept_Topic_Mapping, Subject_Concept_Mapping). The examination questions and answer-options need to be pre-stored in Question and Answer tables. The Question_Answer_Mapping table stores correct answer(s) of each question. If the methodology is deployed in a subjective examination system (which does not provide answer options), the Answer and Auestion_Answer_Mapping tables need to be dropped. To use the system in a paper-pencil based examination scenario, the expected response time field of Question table has to be dropped. The rest portion of the database remains same in all cases.




Figure 1. Ontology of the course

Table 1. Database tables

Sl. No.	Table Name	Utility
1	Teacher	Stores Teachers' demographic information
2	Teacher_Allotment	Stores the subjects taken by a teacher
3	Topic	Stores Topic Details
4	Concept	Stores Concept Details
5	Answer	Stores the answer statements
6	Concept_Topic_Mapping	Maps each Topic to a Concept
7	Examination	Stores Examination information
8	Question	Stores question related information
9	Student	Stores Students' demographic information
10	Question_Answer_Mapping	Maps each answer to a question
11	Student_Session	Stores examination details of individual student
12	Subject_Concept_Mapping	Maps each Concept to a Subject
13	Subject	Stores each subject information




Figure 2. Online database scheme

2.2.2 Data warehouse tables:

Data warehouse is a subject oriented, time variant, non-volatile, integrated repository of data (Han 2000). It will consolidate the content of the operational database for ease of decision-making. The main differences of data warehouse with the database will be in its utilisation, access pattern and size (Twelve Rules That Define a Data Warehouse 2005). It has been designed by considering aims of an evaluation process presented in section 1. The data warehouse has two fact tables and six dimensions. The fact is the points scored by student in an examination.

Table 2. Data warehouse tables

Sl. No.	Table Name	Utility
1	Concept	Stores Concept Details
2	Examination	Stores Examination information
3	Student	Stores Students' demographic information
4	Student_Fact_Table	Table to asses Students' learning Rate
5	Subject	Stores each subject information
6	Teacher	Stores Teachers' demographic information
7	Teacher_Fact_Table	To evaluate Teachers' Performance
8	Topic	Stores Topic Details




Figure 3. Online data warehouse scheme

2.3 Point calculation techniques

In a traditional system, students' marks are decided by the extent of correctness of his answer. In the present system, we attempt to calculate marks not only based upon the correctness of an answer, rather considering the hardness of the question and the topic from which the question is developed. The intellect level of a student is tried to be reflected in his obtained marks by considering the response time taken to answer a question. However if the system is deployed in a paper-pencil based examination scenario, the response time cannot be measured for individual questions and need to be dropped. The point calculation will be as follows

$$\text{Point obtained by answering a question} = \frac{(\text{Topic Difficulty Index} * \text{Concept Difficulty Index} * \text{Question Difficulty Index} * \text{Deviation})}{(\text{Response Time})}$$

The difficulty index signifies the hardness of a question or topic. As for example, the difficulty indices parameters can take values as shown in Table 3.

Table 3. Value of difficulty indices

Name of Difficulty Index	Value for Tough	Value for Normal	Value for Easy
Topic Difficulty Index	5	3	1
Concept Difficulty Index	5	3	1
Question Difficulty Index	5	3	1

The answers given by a student will be used to judge the level of understanding of a student. As for example let us consider the following question and answer options.

Example Question: Why ARP is used?

Possible Answers:

- To know IP address by giving the hardware address
- Data structure used for efficient searching
- To know hardware address by specifying IP address
- To know router's IP address

Among the answer options 'c' is correct, option 'a' can be considered as a silly mistake answer while option 'b' is totally unrelated to ARP. So analysing the given answer the level of knowledge and understanding can be easily measured. To parameterise this level of understanding a deviation parameter will be used. To measure the deviation parameter, each answer will be classified in one of six classes and value will be assigned according to the class of the answer. The different values of deviation parameter are shown in Table 4. The response time for an answer will be used to catch blind guesses. It is the time a student takes to give the answer. It will be compared with the expected answer time of a question. For some questions (say, problem-oriented question) if the response time is very much less than the expected time then it is considered as a blind guess answer and points will be assigned according to that. The weightages given to different classes of response time are shown in Table 5. The values shown in table 3, 4 and 5 are not derived mathematically rather they only serve to differentiate among the classes of difficulty indices, deviations and response times. A practical implementation of the present system is free to choose any value that is capable to consider their physical significance.

Table 4. Value of deviation parameter

Parameter name	Value for Exact Match	Value for Near Match	Value for Average Answer	Value for Below Average	Value for No idea
Deviation	5	4	3	2	0

Table 5. Weightage of different response times

Parameter name	Value for Blind Guess	Value for Normal Answer/ Educated Guess
Response Time	5	1

The point obtained by a student at each evaluation session is stored at concept level, topic level and subject level in the online database and later consolidated into the data warehouse.

2.4 Definitions

In this section some parameters will be defined which will be used as performance metric. These metrics will accumulate points scored by the students in various ways to measure the performances. The following proposition will be used to define the performance metrics

Student_Score(s, i, o) : Points scored by student *s* on *i*-th examination in an ontology element (subject, topic or concept) *o*. From the Data warehouse scheme, it can be clearly understood that this fact is nothing but the data warehouse fact in the Student Fact Table.

Teacher_Score(t, i, o) : Points scored by students on *i*-th examination in an ontology element (subject, topic or concept) *o* taught by teacher *t*. From the Data warehouse scheme, it can be observed that this fact is the data warehouse fact in the Teacher Fact Table.

The two performance metrics, namely, Student Learning Rate and Teacher's Performance are defined as follows.

Student Learning Rate: It is defined as the average increase in score in two consecutive examination sessions. It is expressed as follows

Student_Learning_Rate(s, o) : Learning rate of student *s* in an ontology element (subject, topic or concept) *o*.

$$\text{Student_Learning_Rate}(s, o) = \frac{\sum\{(Student_Score(s, i+1, o) - Student_Score(s, i, o)) \times (|Student_Score(s, i+1, o) - Student_Score(s, i, o)|)\}}{N-1}, \text{ for all } i$$

where, *N* = Total number of examinations taken by teacher *t* which include ontology element *o*.

The metric will not be deviated by an instantaneous good or bad performance, since it measures the rate of change of a student's performance over a large number of examinations.

Teacher's Performance (o, t) : Deviation of the average points scored by the students for a particular ontology element *o* taught by teacher *t*.

$$\text{Teacher's Performance (o, t) = Avg(Teacher_Score(t, i, o)), for all i - Avg(Teacher_Score(t, i, o)), for all i, t}$$

Since a particular ontology element is taught by a number of teachers in different contexts, a single teacher cannot control the overall average. Hence effect of a particular academic session cannot affect the metric considerably. Besides these performance metrics the difficulty level of various ontology elements can also be defined (redefined) using the propositions

Difficulty_Level(o) = Difficulty level of ontology element *o*.

$$\text{Difficulty_Level(o) = Avg(Student_Learning_Rate(s, o)), for all s}$$

2.5 Implications of the metrics

A traditional examination system evaluates a students' expertise at a particular point of time. It is a well-known fact that "to a teacher or anyone else trying to help an individual, a single assessment would be of little help because one may not be equally good or bad in all aspects of learning, but a lot more information is needed which merge different kind of data." (Harlen 1994). The metric, Student Learning Rate, presented in the previous section, aims to quantify a students' progress throughout a time interval. Faculties also do the same thing when they compare students' marks in mid-semester, half-yearly or annual examinations. This metric is an attempt to automate this comparison process and to find students difficulties in different topics, concepts or subjects. In a big institute, there exist several departments and many a time same subject or topics are covered in curriculums of different departments. The metric Teachers Performance is an attempt to quantify a teachers' expertise in different subjects or topics. The metric should never be used alone to measure a teachers' performance but can be used as a part of a rating process. The difficulty level will signify the overall hardness of a subject, topic or concept. Since each of the metrics is defined at the lowest granular level, they can be rolled up to get important information about the learning process. Some examples of the uses of these metrics are given in next section.

2.6 Other utilities

Besides the performance evaluation, the metrics can be used for many other useful purposes. Some examples are given below.

- Generating different types of test statistics to understand and evaluate a teaching and learning system. The system can provide enough information to fulfil the aims of an evaluation system presented at section 1.
- Finding out the assimilation capacity for a particular topic, concept or subject for individual as well as a special type of students. Students can be rolled up by average marks, grades, age, departments, institution, province or country. The knowledge can in turn be used to develop a student model and to personalise an e-learning system.
- The necessity or usefulness of a course modification can be found out by comparing the difficulty levels of an ontology element (like subject, topic or concept) taught at different years.
- Total improvements or rate of improvement in the performance of students, teachers and a whole institution, both in absolute term and relative to other institutes, can be measured by comparing Students' Learning rate at various rolled up levels of granularities.

3. A case study

In order to measure the performance of the proposed metrics, a data warehouse is to be built with sufficient volume of data. However the data warehouse cannot be developed unless all examinations have to be conducted through the proposed system for sufficient long time. A case study for validating

the proposed system has been carried out using available examination details for two courses from an academic section of the authors' academic institution. The case study only demonstrates the calculation of students' learning rates in a traditional paper-pencil based subjective examination scenario and two of the possible usages of student learning rate via. analysing a single course and comparing two courses. Unfortunately, the students' performance measure according to a topic or concept cannot be done since data was not available at that level of granularity. However our analysis in such a limited scope also reveals some important insights into a course. Currently four courses have been analysed, which will be termed as follows

- Course1 Batch2
- Course2 Batch1
- Course3 Batch1
- Course3 Batch2

Among these Course3 was taught for two batches in two consecutive years. The same teacher also taught Course2. Another teacher of the same department taught Course1. The analysis process is carried out in two phases. First each course is analysed separately and the outcomes are shown to the concerned course instructor. After reviewing the results, the instructor wanted some additional details that led to the second phase of analysis and a comparative study among the four courses.

3.1 Phase 1-course analysis

The basis of the proposed evaluation process is calculation of Students' Learning Rate. In the case study, Students' learning rates are calculated for each course based on marks scored by students in different assignments, class tests, mid-semester and end-semester examinations at different stages of the course. For confidentiality purpose we have not shown scoring details of an individual student, rather we clustered student in different groups and carry out our experiments on the average score obtained by each cluster (the analysis done on each cluster can also be done on individual students). The testing procedure consists of following steps.

- Preparation of tabulation sheets of students considering their marks at different assignments, class tests, mid-semester and end-semester examinations.
- Clustering students according to their marks. Each cluster corresponds to a group of similar types of students.
- Calculating students learning rate for each cluster.
- Plotting the learning rate of each cluster with respect to different evaluation stages.
- Analysis of the graph.

For Course 1 Batch 2 the learning rate calculation technique has been elaborated in a little more details. For rest of the courses, the student clusters, normalised scores, learning rates and learning curves are shown. Based on the learning curves we pointed out our findings for each of the courses.

3.1.1 Test result for course 1 batch 2

The first course (Course 1) for batch 2 was taken by 52 students. The evaluation process consists of three assignments, two class tests, mid-semester examination and end-semester examination. The student clusters are shown in Table 6.

Table 6. Student clusters

Cluster-id	Class Test1 (40)	Assg1 (100)	Assg2 (100)	Mid Sem (60)	Assg3 (100)	Class Test2 (50)	End Sem (100)
1	17.50	28.67	0.00	28.39	8.33	31.67	44.85
2	24.79	33.43	76.43	38.11	29.07	34.00	64.93
3	24.36	66.94	85.00	40.50	39.43	36.71	69.14
4	24.05	80.18	70.00	37.00	43.55	35.32	68.32

Based on Table 6 above students' learning rates are being calculated for these four clusters as shown in Table 7. Marks at each examination or assignment are normalised to a scale of 100. Now the learning rates are plotted with respect to assignments, class tests, mid-semester and end-semester examinations i.e. different evaluation stages arranged chronologically. The plot is shown in Fig. 4. The

first observation about the curves is their zigzag nature i.e. students learning rate varies for each consecutive evaluation stages. As the evaluation stages are analysed it can be found assignments and examinations came alternatively. So students did better in assignments, did not do well in examinations and vice-versa. Hence the suggestion, based on this analysis, to the course instructor was to increase conformance between the assignments and examinations. Besides this observation, the trend line (the thick black line) shows that students learning rate decreases as the course was going on up to third assignment and then increases again. This finding is in conformance with the education structure of our institute where the course load is gradually increased up to mid-semester and then gradually decreases.

Table 7. Calculation of students' learning rate for course 1 batch 2

Clusterid	1		2		3		4		All Students
	Normalised Score	Learning_Rate	Normalised Score	Learning_Rate	Normalised Score	Learning_Rate	Normalised Score	Learning_Rate	Learning_Rate
Start of Course	0		0		0		0		
Assignment 1	28.67	821.97	33.43	1117.56	66.94	4480.96	80.18	6428.83	3212.33
Class Test 1	43.75	227.41	62	816.24	60.9	-36.48	60.13	-402	151.29
Assignment 2	0	-1914.06	76.43	208.22	85	580.81	70	97.42	-256.90
MidSem	47.32	2239.18	63.52	-166.67	67.5	-306.25	61.67	-69.39	424.22
Assignment 3	8.33	-1520.22	29.07	-1186.8	39.43	-787.92	43.55	-328.33	-955.82
Class Test 2	63.34	3026.1	68	1515.54	73.42	1155.32	70.64	733.87	1607.71
EndSem	44.85	-341.88	64.93	-9.42	69.14	-18.32	68.32	-5.38	-93.75
Total		2538.5		2294.67		5068.12		6455.02	4089.08
Student_Learning_Rate		362.64		327.81		724.02		922.15	584.15




Figure 4. Student learning rate at different time of course 1 batch 2

For the rest of the courses the student clusters, normalised scores, learning rates and learning curves are shown. Learning curves are also drawn based on the learning rates of students at different time of a course.

3.1.2 Test result for course 2 batch 1

The second course (Course 2) for batch 1 was taken by 30 students. The evaluation process consists of one assignment, two class tests, mid-semester and end-semester examinations. The student clusters are shown in Table 8. Normalised scores for each cluster are shown in Table 9. The learning rate, calculated from the normalised scores, is shown in Table 10. The variation of learning rate at different time of the course is furnished in Fig. 5.

Table 8. Student clusters

clusterid	CT-1 (5)	CT-2 (5)	Asg (5)	Mid Sem (30)	End Sem (50)	Attd (5)	Total
1	0.00	2.67	4.33	19.33	24.00	0	50.33
2	2.43	2.86	0.00	19.43	21.43	0	46.14
3	4.35	4.12	5.00	25.00	35.53	4.53	74.00
4	2.00	3.00	5.00	17.00	22.50	0.5	49.50
5	2.78	4.22	5.00	22.44	31.22	3.78	65.67

Table 9. Normalised scores

clusterid	1	2	3	4	5	Total
CT-1	0.00	48.58	87.06	40.00	55.56	46.24
Mid Sem	64.44	64.76	83.33	56.67	74.81	68.80
CT-2	53.34	57.14	82.36	60.00	84.44	67.46
Asg	86.66	0.00	100.00	100.00	100.00	77.33
End Sem	48.00	42.86	71.06	45.00	62.44	53.87
						62.74

Table 10. Learning rate

Eval Stage	1	2	3	4	5	Total
CT1	0	2360.02	7579.44	1600	3086.91	2138.14
Mid	4152.51	261.79	-13.91	277.89	370.56	508.95
CT2	-123.21	-58.06	-0.94	11.09	92.74	-1.8
Assg	1110.22	-3264.98	214.33	1600	242.11	97.42
End	-1494.6	1836.98	-837.52	-3025	-1410.75	-550.37
	728.98	227.15	1388.28	92.80	476.31	438.47
	50.33	46.14	74	49.5	65.67	57.13




Figure 5. Student leaning rate at different time of course2 batch 1

Inference

- Except for clusters 1 and 2, the learning rate remains more or less flat for all the students (refer fig. 5).
- The trend line shows (refer Fig. 5) a decrease in students' learning rate; however the average score of the student is 57.13, which is not bad. So it may indicate the course content failed to present much new aspect to the students and so they earned marks but learned little.

3.1.3 Test result for course 3 batch 1

The third course (Course 3) for batch 1 was taken by 26 students. The evaluation process consists of two assignments, one term paper, mid-semester and end-semester examinations. The student clusters are shown in Table 11. Normalised scores for each cluster are shown in Table 12. The learning rate calculated from the normalised scores is shown in Table 13. The variation of learning rate at different time of the course is furnished in Fig. 6.

Table 11. Student clusters

clusterid	Asg1 (5)	Asg2 (3)	Term Pap(7)	Mid Sem (30)	End Sem (5)	Attn (5)	Total
1	5.00	2.00	6.00	14.67	27.00	3.33	58.00
2	4.00	0.00	6.00	12.43	24.71	1.71	48.86
3	4.00	2.00	5.00	24.00	25.00	2.00	62.00
4	5.00	3.00	6.00	19.60	32.53	3.87	70.00
5	5.00	2.00	5.00	16.00	29.00	3.00	60.00
6	5.00	3.00	7.00	20.67	40.33	4.67	80.67

Table 12. Normalised scores

clusterid	1	2	3	4	5	6	Total
Asg1	100.00	80.00	80.00	100.00	100.00	100.00	93.33
Mid Sem	48.89	41.43	80.00	65.33	53.33	68.89	59.65
Asg2	66.67	0.00	66.67	100.00	66.67	100.00	66.67
Term Paper	85.71	85.71	71.43	85.71	71.43	100.00	83.33
End Sem	54.00	49.43	50.00	65.07	58.00	80.67	59.53
							72.50

Table 13. Learning rate

Eval Stage	1	2	3	4	5	6	Total
Assg1	10000	6400	6400	10000	10000	10000	8710.49
Mid	-2612.23	-1487.64	0	-1202.01	-2178.09	-967.83	-1134.34
Assg2	-316.13	-1716.44	-177.69	1202.01	177.96	967.83	49.28
TP	362.52	7346.2	22.66	-204.2	22.66	0	277.56
End	-1005.52	-1316.24	-459.24	-426.01	-180.36	-373.65	-566.44
Learning rate	1285.73	1845.18	1157.15	1873.96	1568.43	1925.27	1467.31
Total Marks	58	48.86	62	70	60	80.67	63.26




Figure 6. Student leaning rate at different time of course3 batch 1

Inference

- The steep fall after first assignment (refer Fig. 6) of all the curves show that the first assignment was too easy in comparison to other assignments and examinations.
- The learning rate of the student cluster, who got lowest marks (cluster 2), has a wavy nature (refer Fig. 6). The nature of the curve indicates that weaker students cannot cope well with the course.
- The course is found to be most effective in terms of learning rate for the cream students (cluster 6)

- The trend line (refer Fig. 6) indicates the general nature of the course which is same as the previous example. The load of the course has increased up to the mid-session and then decreased again that results the U-shaped curve.

3.1.4 Test result for course 3 batch 2

The third course (Course 3) for batch 2 was taken by 35 students. The evaluation process consists of one assignment, two class tests, one term paper, mid-semester and end-semester examinations. The student clusters are shown in Table 14. Normalised scores for each cluster are shown in Table 15. The learning rate calculated from the normalised scores is shown in Table 16. The variation of learning rate at different time of the course is furnished in Fig. 7.

Table 14. Student clusters

Cluster id	Term							Total
	CT1 (5)	CT2 (5)	Assg (5)	Paper (5)	Mid (30)	End (50)	Attn (5)	
1	2.29	0.00	0.00	1.83	15.58	23.00	37.03	42.71
2	2.50	3.17	3.75	3.33	21.83	32.33	87.04	66.92
3	3.09	2.45	3.93	2.29	19.54	34.25	81.35	65.54
4	2.75	2.67	0.00	1.00	12.08	21.42	49.07	39.92
5	1.44	2.29	4.07	2.72	18.69	33.14	90.74	62.36

Table 15. Normalised scores

Cluster id	1	2	3	4	5	Total
CT1	45.84	50.00	61.78	55.00	28.88	48.30
Mid	51.94	72.78	65.12	40.28	62.31	58.49
CT2	0.00	63.34	48.92	53.34	45.84	42.29
Assg	0.00	75.00	78.58	0.00	81.38	46.99
Termpaper	36.67	66.67	45.71	20.00	54.44	44.70
End	46.00	64.67	68.50	42.83	66.28	57.66
Total						49.74

Table 16. Learning rate

Eval Stage	1	2	3	4	5	Total
CT1	2101.31	2500	3816.77	3025	834.05	2332.89
Mid	37.21	518.93	11.16	-216.68	1117.56	103.84
CT2	-2697.76	-89.11	-262.44	170.56	-271.26	-262.44
Assg	0	135.96	879.72	-2845.16	1263.09	22.09
TP	1344.69	-69.39	-1080.44	400	-725.76	-5.24
End	87.05	-4	519.38	521.21	140.19	167.96
Learning rate	145.42	498.73	647.36	175.82	392.98	393.18
Total Marks	42.71	66.92	65.53	39.92	62.36	55.49




Figure 7. Student leaning rate at different time of course3 batch 2
Inference

- As like batch 1, in case of batch 2 also we find wavy nature (refer Fig. 7) of learning rates for lagging students (cluster 1 and 4). The same result for both batches also proves the correctness of our method.
- The trend line (refer Fig. 7) shows the general nature of the course remains same as other courses.
- The average learning rate shows that batch 1 was better than batch 2 in terms of learning. The average score scored by students of batch 1 (63.26) and batch 2 (55.49) also confirms the result.

3.2 Phase 2 - course comparison

As per the request of the instructor of course 2 and course 3 we go for a comparative analysis of batch 1 and batch 2 for course 3 and also for a comparison of all the courses (i.e. course 2 and course 3 for two batches) taught by the teacher. The learning curves are shown in Fig. 8 and Fig. 9 respectively.




Figure 8. Comparison between batch 1 and batch 2 for course 3




Figure 9. Comparison between different courses for a teacher

As shown in Fig. 8 the learning rate of batch 1 has decreased initially and then increased again. On the other hand for batch 2 the trend line remains near zero line throughout the course. It can be concluded that the subject matter for batch 1 presents something new to them. So their learning curve first decreases but after getting accustomed with the course it is increased again. However batch 2 does not get anything new to be added to their knowledge base from the course. Since the average marks of batch 2 (55.49) is less than that of batch 1(63.26) so it is obvious that the course material was not known to batch 2 before. So they cannot learn as like batch 1 due to either their lack of effort or due to the teaching technique. Now, when we compare all the three courses taught by the teacher we get some more insights into the teaching-learning situation. As shown in Fig. 9, the trend line for course 3 batch 1 is of U-shape, but the trend lines of course 2 and course 3 batch 2 both run near zero line. Since the trend line for two different batches and courses are almost same so according to our system, it is the teaching technique that should be changed for increasing the learning rate.

4. Conclusions

The present paper defines some performance metrics for student and teacher evaluation and also discusses the methodology for calculating those metrics. The information stored in the system will be expressive enough to efficiently measure the performance. The metrics are intended to provide a fully objective assessment strategy; not aimed to criticise individuals. Once measured properly for adequate length of time, the metrics and the stored information can also be used to find utility of a course modification, to compare performances of different institutions and for research on education techniques. The paper demonstrate a

case study for analysing four courses at a premier engineering institute, which, in spite of lack of data, has yielded encouraging results about the learning and teaching of the courses.

References

- Alfonseca, D and P. Rodriguez 2004. Application of the BLEU method for evaluating free-text answers in an e-learning environment, Paper presented at the Language Resources and Evaluation Conference (LREC-2004), Lisbon, Portugal, 26th – 28th May, 2004
- Aspinwall K., Simkins T., Wilkinson J. F., McAuley M. J., 1992. *Managing Evaluation in Education*, London, UK: Routledge,
- Benford S, Burke E and Foxley E 1993. Learning to construct quality software with the Ceilidh system. *Software Quality Journal* 2, pp.177-197
- Biswas P., Ghosh S.K. 2005, An Universal Assessment Methodology for Evaluating Students' and Teachers' Performance in an Academic Institute, Proceedings of International Conference on Cognitive Systems (ICCS)'05, New Delhi, 14th-15th December 2005
- Bodmann S. M. et. Al 2004. Speed and Performance differences among Computer-Based and Paper-Pencil Tests, *Journal on Educational Computing Research*, Vol 1(1), 2004 pp 51-60
- Brusilovsky P, Schwarz E and Weber G 1996. ELM-ART: An intelligent tutoring system on World Wide Web. In: Frasson C, Gauthier G and Lesgold A (eds.) *Intelligent Tutoring Systems. Lecture Notes in Computer Science*, Vol. 1086 Springer Verlag, Berlin, pp. 261-269
- Brusilovsky P. and Miller P. 2001. Course Delivery Systems for the Virtual University In: F. T. Tschang and T. Della Senta (eds.): *Access to Knowledge: New Information Technologies and the Emergence of the Virtual University*. Amsterdam: Elsevier Science and International Association of Universities, 2001, pp. 167-206
- Burstein, J., C. Leacock, and R. Swartz, 2001. Automated evaluation of essay and short answers. In M. Danson (Ed.), *Proceedings of the 6th Intl. Conf. Of Computer Assisted Assessment Conference*.
- Byrnes R, Debrecey R and Gilmour P 1995. The Development of a Multiple-Choice and True-False Testing Environment on the Web. *Ausweb95: The First Australian World-Wide Web Conference*, Ballina, Australia, April 30 - May 2, 1995, [Accessed 13th February, 2006]. Available from World Wide Web: <<http://elmo.scu.edu.au/sponsored/ausweb/ausweb95/papers/education3/byrnes/>>
- Deale R. N. 1975. *Assessment and Testing in the Secondary School*, Schools Council Examinations Bulletin 32. Evans/Methuen Educational
- Dietrich A, Cord H., Wesiak G. 2001. Current Trends in eLearning based on Knowledge Space Theory and Cognitive Psychology [Accessed 12th March, 2006]. Available from World Wide Web: <www.research-it.at/~ac18008a182527705af0348c10147878d887feb>
- Edwards J., 1991. *Evaluation in Adult and Further Education: A Practical Handbook for Teachers and Organisers*, Liverpool. UK.: The Workers Educational Association
- Foxley E, Benford S, Burke E and CEILLIDH Development Team 1998. *WebCeilidh*, University of Nottingham, [Accessed 8th February, 2006]. Available from World Wide Web: <<http://www.cs.nott.ac.uk/~ceilidh>>
- Han J., Kamber R. 2000. *Data Mining: Concepts and Techniques*, Morgan Kaufmann; 1st edition (August 2000)
- Harlen W., 1978. *Evaluation and the Teacher's Role*, London UK: Macmillan Education
- Ming, Y, A. Mikhailov, T. Lay Kuan, 2000. Intelligent Essay Marking System, In C. Cheers (Ed.), *Learners Together*
- Reddy K. et al, 2004.. On the Role of Electives on the Performance Evaluation in an Examination-A True Perspective, *The Indian Journal of Technical Education*, Vol. 27 No. 4 October – December, 2004
- Reddy K. et al. 2004. On the Determination of Consistency in Ranking – A True Perspective through Analytic Hierarchy Process Approach, *The Indian Journal of Technical Education*, Vol. 27 No. 3 July - September, 2004
- Rehak D 1997. A database architecture for Web-based distance education. *WebNet'97, World Conference of the WWW, Internet and Intranet*, Toronto, Canada, November 1-5, 1997, pp. 418-425
- Rios A, Pérez de la Cruz J L and Conejo R 1998. SIETTE: Intelligent evaluation system using tests for TeleEducation. *Workshop WWW-Based Tutoring at 4th International Conference on Intelligent Tutoring Systems (ITS'98)*, San Antonio, TX, August 16-19, 1998, [Accessed 23rd February, 2006]. Available from World Wide Web: <<http://www-aml.cs.umass.edu/~stern/webits/itsworkshop/rios.html>>
- Sapir M 1999. The WebTester and the Linear Algebra WebNotes. *ALN Magazine* 3 (1)
- Twelve Rules That Define a Data Warehouse, [Accessed 8th September, 2005]. Available from World Wide Web: <www.stfx.ca/people/rmackinn/Cd%20W%20Dr%20June%202%2001/316/DWRULES.HTM>
- VanLehn K. et. al. 1997. Evaluation of an assessment system based on Bayesian Student Modeling *International Journal of Artificial Intelligence in Education*, Vol. 8, 1997, pp 179-221
- Xiao G 1999. WIMS, Université de Nice, Sophia Antipolis, [Accessed 8th February, 2006]. Available from World Wide Web: <<http://wims.unice.fr/~wims/wims.cgi?lang=en>>

